

中文類別	原文類別	代號	系列	中文說明	原文說明	黏度/NLGI	規格/限制/備註
金屬加工油	METAL WORKING	MECAFLUID	D	抽線油	DRAWING FLUIDS		
金屬加工油	METAL WORKING	MECAFLUID	N	油性切削液	NEAT CUTTING		
金屬加工油	METAL WORKING	MECAFLUID	P	防銹液	RUST PREVENTED FLUIDS	5-26-100	
金屬加工油	METAL WORKING	MECAFLUID	Q	淬火油	QUENCHING FLUIDS	22-46-68-120	
金屬加工油	METAL WORKING	MECAFLUID	S(合成), SS(半合成), SM(一般)	水溶性切削液	WATER SOLUBILE CUTTING FLUIDS		
金屬加工油	METAL WORKING	MECACLEAN	EXP, AL, NL	水溶性清潔劑	Water soluble inter-operational		use in high pressure industrial washers, upto 300bar
液壓油	HYDRAULIC OIS	HYDRAULIC	SERIES	通用液壓油		22-32-46-68-100-150	
液壓油	HYDRAULIC OIS	HYDRAULIC	HV SERIES	HIGH VI 液壓油	HIGH VI	15-32-46-68-100	
液壓油	HYDRAULIC OIS	HYDRAULIC	HVZF SERIES	HIGH VI 無灰份液壓油	HV + ashless	32-46-68	
液壓油	HYDRAULIC OIS	HYDRAULIC	ZF SERIES	無灰份液壓油	ashless	32-46-68	
液壓油	HYDRAULIC OIS	HYDRAULIC	ESF SERIES	超高 VI 液壓油	Ultra-high VI, "super-	46-68	
液壓油	HYDRAULIC OIS	HYDRAULIC	HLPD SERIES	高品質液壓油	Premium quality anti-wear hydraulic	32-46-68	
工業齒輪油	GEAR OILS	GEAR	MEP SERIES	石蠟基礦物齒輪油	paraffinic gear oils	68-100-150-220-320-460-680	
工業齒輪油	GEAR OILS	GEAR	SYN PAO SERIES	PAO 合成齒輪油		150-220-320-460-	
工業齒輪油	GEAR OILS	GEAR	SYN PAG SERIES	PAG 合成齒輪油		150-220-320-460-	
工業齒輪油	GEAR OILS	GEAR	FL SERIES			150-220	
循環油	CIRCULATING OILS	CIRCULA	SERIES			150-220-320	
循環油	CIRCULATING OILS	CIRCULA	SYN SERIES			150-220-320-460-	
循環油	CIRCULATING OILS	CIRCULA	MILL SERIES			100-460	
循環油	CIRCULATING OILS	CIRCULA	PM SERIES			150-220-320	
循環油	CIRCULATING OILS	CIRCULA	SPO SERIES			10	
熱傳油	DIATERMIC OIL	HTO	SERIES			22-32	
鏈鋸油	CHAINSAW OILS	CHAINSAW	MF			120	
空壓機油	COMPRESSOR OILS	COMPRESSOR	A SERIES			32-46-68-100	DIN 51506 VDL; ISO DP6521.
空壓機油	COMPRESSOR OILS	COMPRESSOR	A SYN EST SERIES			32-46-68-100	DIN 51506 VDL; ISO DP6521.



中文類別	原文類別	代號	系列	中文說明	原文說明	黏度/NLGI	規格/限制/備註
空壓機油	COMPRESSOR OILS	COMPRESSOR	A SYN PAO SERIES			32-46-68	ISO 6743-3A-DAJ, DIN 51506 VDL.
空壓機油	COMPRESSOR OILS	COMPRESSOR	A SYN PAG SERIES			32-46	
渦輪機油	TURBINE OILS	JENTERAM	SERIES			32-46-68	DIN 51515 part 1 and 2, US Steel TSR, Agma, R&O oil Siemens; GEK; US Military;
滑道油	SLIDEWAY OILS	SLIDEWAY	SERIES			68-220	
滑道油	SLIDEWAY OILS	SLIDEWAY	HG SERIES			32-68-220	Cincinnati Lamb P-47, P-50, P-53, DIN 51524 part 2 - HLP, ISO 11158 HM, DIN51517 part3 (ISO 220), US
變壓器油	TRANSFORMER OILS	TRANOL				10	IEC 60296 ed. 4 (2012) (Un-inhibited
變壓器油	TRANSFORMER OILS	TRANOL	X			10	IEC 60296 ed. 4 (2012) (Inhibited oil).
橡膠軟化油	PROCESS OILS	PROCESS OIL	N SERIES	環烷基型橡膠軟化油	Genuine naphthenic oils	10-22-100	
橡膠軟化油	PROCESS OILS	PROCESS OIL	P SERIES	石蠟基型橡膠軟化油	Highly saturated paraffinic	32-100-460-850	
白油	PROCESS OILS	WHITE OIL	P SERIES	醫藥等級白油	Pharmaceutical grade white oil.	15-22-68	FDA 21 CFR 172.878 and FDA 21 CFR 178.3620(a) for direct and indirect food contact. Eu Pharmacopoeia 8TH edition.
冷凍油	REFRIGERATION COMPRESSOR OILS	COMPRESSOR	R SERIES	一般冷凍油		32-46-68-100	
冷凍油	REFRIGERATION COMPRESSOR OILS	COMPRESSOR	R SYN SERIES	合成冷凍油		22-32-46-68-100-170-220	
潤滑脂	Greases	GREASE	LI SERIE			NLGI: 2-3	Operating temperatures: -12°C to +130°C, Lithium
潤滑脂	Greases	GREASE	LI EP SERIE			NLGI: 00-0-1-2-3	Operating temperatures: -12°C to +130°C, Lithium
潤滑脂	Greases	GREASE	CA 00			NLGI: 00	Operating temperatures: up to
潤滑脂	Greases	GREASE	LIX MEP			NLGI: 2	Operating temperatures: -15 to +160°C, Lithium
潤滑脂	Greases	GREASE	FG			NLGI: 2	Operating temperatures: -18 to +150°C, Aluminium
潤滑脂	Greases	GREASE	LICA GEP			NLGI: 0-2.5	Operating temperatures: -15 to +140°C, Lithium-



中文類別	原文類別	代號	系列	中文說明	原文說明	黏度/NLGI	規格/限制/備註
船舶用油	Marine oils	DISROL	50			SAE 20-30-40	4-STROKES ENGINE OILS
船舶用油	Marine oils	DISROL	120			SAE 30-40	4-STROKES ENGINE OILS
船舶用油	Marine oils	DISROL	300			SAE 30-40	4-STROKES ENGINE OILS
船舶用油	Marine oils	DISROL	400			SAE 30-40	4-STROKES ENGINE OILS
船舶用油	Marine oils	DISROL	500			SAE 40	4-STROKES ENGINE OILS
船舶用油	Marine oils	DISROL	CI-4			SAE 40	4-STROKES ENGINE OILS
船舶用油	Marine oils	SILUB	540			50	2-STROKES ENGINE OILS
船舶用油	Marine oils	SILUB	570			50	2-STROKES ENGINE OILS